



Rugged Ion Chamber TBM

Model - TBM-IC-MVR and TBM-IC-LE

Features

- Sees Beta, Gamma, X-Ray
- Digital Readout: 6 Digit-rate, 8 Digits Integrate
- Dose Rate and Total Dose Read Out
- Small Lightweight Under 3 lbs.
- No Range Switching
- Flat Response - Sealed Ion Chamber
- Sees Axially Below 5 KeV Gamma or X-Ray
- Radial (Sideview) Detection Down to 20KeV (**TBM-IC-LE**)
- Fast Response
- Wide Range: 0.1 Mr/hr To 50,000 Mr/hr
- **Optional:** $\mu\text{Sv/h}$ and μSv Dose Readout



Fluted Chamber

Application

Whenever a fast, sensitive ion chamber instrument is needed, Models **TBM-IC-MVR & TBM-IC-LE** is the preferred choice. These sealed ion chambers are small, lightweight, rugged, and based on essentially drift-free electrometer technology.



TECHNICAL ASSOCIATES OVERHOFF TECHNOLOGY

7051 ETON AVENUE, CANOGA PARK, CALIFORNIA 91303

PHONE: 818-883-7043 | FAX: 818-883-6103

SALES@USNUCLEARCORP.COM | TECH-ASSOCIATES.COM | USNUCLEARCORP.COM

DIVISIONS OF



USNUCLEARCORP

OTCQB-UCLF